

LED PRODUCT CATALOG



D-Sign Light Co., Ltd.

Address: 353/101 moo 12, Pratumnak soi 5,
Nongprue, Banglamung, Pattaya, 20150 Chonburi

Website: www.dsignlight.com

Contact: Ralf Skoropa

Email: ralf@skoropa.com

Mobile: +66 868 43 8511

INDEX

1. GENERAL DOWN LIGHT	7P~24P
2. UNIVERSAL SPOT LIGHT	25P~36P
3. WALL WASHER	37P~42P
4. SYSTEM LIGHT	43P~55P
5. CEILING MOUNTE LIGHT	56P~64P
6. TRACK LIGHT	65P~71P

GENERAL DOWN LIGHT



QK-013005
8P



QK-023005
8P



QK-023007
9P



QK-023012
9P



QK-033007
10P



QK-033012
10P



QK-050001
11P



QK-053003
12P



QK-050005
12P



QK-050007
13P



QK-063007
14P



QK-063012
14P



QK-063020
15P



QK-073007
16P



QK-073012
16P



QK-073020
17P



QK-083002
18P



QK-080006
18P



QK-083008
19P




QK-080010
20P




QK-080018
20P




QK-080020
21P



QK-092015
22P



QK-092030
22P



QK-0925040
23P



QK-101030
24P



QK-101060
24P

UNIVERSAL SPOT LIGHT



QK-013007
26P



QK-013012
26P



QK-023007
27P



QK-023012
27P



QK-033007
28P



QK-033012
28P



QK-043007
29P



QK-043012
29P



QK-053007
30P



QK-053012
30P



QK-063005
31P



QK-063012
31P



QK-063020
32P



QK-063030
32P



QK-063040
33P



QK-073009
34P



QK-073015
34P



QK-073020
35P



QK-073030
35P



QK-083030
36P

WALL WASHER



QK-013007
38P



QK-013012
38P



QK-013020
39P



QK-023007
39P



QK-023012
40P



QK-023020
40P



QK-033007
41P



QK-043012
41P



QK-043020
42P



QK-043030
43P

SYSTEM LIGHT



QK-010015
44P



QK-020015
44P



QK-020015.02
45P



QK-020015.03
45P



QK-030012
46P



QK-030012.03
46P



QK-040007
47P



QK-040015
47P



QK-040030
48P



QK-050007
49P



QK-050007.02
49P



QK-050030.02
50P



QK-063007.02
51P



QK-063007.03
51P



QK-063015.02
52P



QK-063015.03
52P



QK-073030
53P



QK-083030.02
53P



QK-073030.03
54P



QK-083030
55P



QK-083030.02
55P

CEILING MOUNTED LIGHT



QK-010010
57P



QK-023012
58P



QK-023012.02
58P



QK-035010
59P



QK-035015
59P



QK-035020
60P




QK-035030
60P



QK-045010
61P



QK-045015
61P



QK-045020
62P



QK-045030
62P




QK-055030
63P



QK-055060
63P



QK-060016
64P



QK-060018
64P



QK-060024
65P

TRACK LIGHT



QK-010010
67P



QK-010030
67P



QK-020030
68P



QK-033010
68P



QK-033020
69P



QK-033030
69P



QK-053030
70P



QK-073030
70P



QK-080006
71P



QK-080008
71P



QK-080016
72P



QK-080018
72P

01

GENERAL
DOWN LIGHT










Ø76

QK-013005 (PL-SH-TMP)





Power	Light output	Ambient Temp	Output voltage
LED 5W	475lm	-20°C +40°C	36V




Ø56


QK-023005 (PL-SH-DLWH0020)

Power	Light output	Ambient Temp	Output voltage
LED 5W	475lm	-20°C +40°C	36V













Ø76




QK-023007 (PL-SH-DLWH005 7W)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V










Ø88



QK-023012 (PL-SH-DLWH006 10-12W)

Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V






Ø76




QK-033007 (PL-LJD-ZC-Q601_7W_1304)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V



Secondary Reflector




Ø76





QK-033012 (PL-LJD-ZC-Q601_12W_1507)

Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V




Secondary Reflector








Ø35




QK -050001 (PL-LJD-ZC-S3401_1W_XP1)

Power	Light output	Ambient Temp	Output voltage
LED 1W	95lm	-20c° +40c°	36V










ø43




QK-050003(PL-LJD-ZC-S3402_3W_XP1)

Power	Light output	Ambient Temp	Output voltage
LED 3W	285lm	-20c° +40c°	36V








ø55



QK-050005 (PL-LJD-ZC-S3403_5W_1304)


Power	Light output	Ambient Temp	Output voltage
LED 5W	475lm	-20c° +40c°	36V









Ø66

QK -050007 (PL-LJD-ZC-S3404_7W_1304)




Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V












Ø60




QK-063007 (PL-A01 7W)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20°C +40°C	36V









Ø76



QK-063012 (PL-A02 12W)


Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20°C +40°C	36V





ø96







QK-063020 (PL-A03 20W)




Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V




HIGH CRI












60 x 60

QK-073007 (PL-B01 7W)




Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V










76 x 76

QK-073012 (PL-B01 12W)




Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V











96 x 96

QK-073020 (PL-B01 20W)



Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20°C +40°C	36V













43 x 43

QK-083002 (PL-QK-SQ01)








Power	Light output	Ambient Temp	Output voltage
LED 2W	190lm	-20c° +40c°	36V



120 x 44



QK-080006 (PL-QK-SQ03 4.5-6W)

Power	Light output	Ambient Temp	Output voltage
LED 6W	570lm	-20c° +40c°	36V








83 x 83



QK-080008 (PL-SH-SQ04 6-8W)


Power	Light output	Ambient Temp	Output voltage
LED 8W	760lm	-20c° +40c°	36V












197 x 45

QK-080010 (PL-SH-SQ05 7.5-10W)




Power	Light output	Ambient Temp	Output voltage
LED 10W	950lm	-20c° +40c°	36V










121 x 121

QK-080018 (PL-SH-SQ09 13.5-18W)



Power	Light output	Ambient Temp	Output voltage
LED 18W	1710lm	-20c° +40c°	36V





 386 x 45

QK-080020 (PL-SH-SQ10 15-20W)



Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V









HIGH CRI



















Ø117

QK-092015 (PL-QK-DLCRM001 10-15W)




Power	Light output	Ambient Temp	Output voltage
LED 15W	1425lm	-20°C +40°C	36V









Ø161

QK-092030 (PL-QK-DLCRM002 20-30W)




Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20°C +40°C	36V





ø189




QK-0925040 (PL-QK-DLCRM003 40W)




Power	Light output	Ambient Temp	Output voltage
LED 40W	3800lm	-20c° +40c°	36V



HIGH CRI













Ø146

QK-101030 (PL-LJD-TD-DE50 30W)




Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V









Ø198

QK-101060(PL-LJD-TD-DE80 60W)



Power	Light output	Ambient Temp	Output voltage
LED 60W	5700lm	-20c° +40c°	36V




02

UNIVERSAL
SPOT LIGHT









ø73




QK-013007 (PL-LJD-ZC-Q801_7W_1304)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V







ø73



QK-013012 (PL-LJD-ZC-Q801_12W_1507)

Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V













ø73

QK-023007 (PL-LJD-ZC-Q801_7W_원형)








Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V



ø73


QK-023012 (PL-LJD-ZC-Q801_12W_원형)

Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V












ø73




QK-033007 (PL-LJD-ZC-Q801_7W_반원)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V










ø73




QK-033012 (PL-LJD-ZC-Q801_12W_반원)

Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V












ø73




QK-043007 (PL-LJD-ZC-Q801_7W_사각)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V










ø73




QK-043012 (PL-LJD-ZC-Q801_12W_사각)

Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V











ø73




QK-053007 (PL-LJD-ZC-Q801_7W_타원)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V










ø73



QK-053012 (PL-LJD-ZC-Q801_12W_타원)


Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V











ø60

QK-063005 (PL-LJD-ZC-S3901_5W_1304)




Power	Light output	Ambient Temp	Output voltage
LED 5W	475lm	-20c° +40c°	36V










ø76

QK-063012 (PL-LJD-ZC-S3902_12W_1507)




Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V







ø96




QK-063020 (PL-LJD-ZC-S3903_20W_1512)

Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V






ø123



MDU-063030 (PL-LJD-ZC-S3904_30W_1816)


Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V













ø146

QK-063040 (PL-LJD-ZC-S3905_40W_1820)




Power	Light output	Ambient Temp	Output voltage
LED 40W	3800lm	-20c° +40c°	36V









ø82

QK-073009 (PL-LJD-ZC-S3501_9W_1507)




Power	Light output	Ambient Temp	Output voltage
LED 9W	855lm	-20c° +40c°	36V






ø98

QK-073015 (PL-LJD-ZC-S3502_15W_1512)




Power	Light output	Ambient Temp	Output voltage
LED 15W	1425lm	-20c° +40c°	36V








Ø126

QK-073020 (PL-LJD-ZC-S3503_20W_1512)




Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V






Ø150

QK-073030 (PL-LJD-ZC-S3504_30W_1816)




Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V








ø120

QK-083030 (PL-CSPT0300012-J)





Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V




03

WALL
WASHER












ø54




QK -013007(PL-A01(PC) 7W)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V











ø76



QK -013012(PL-A02(PC) 12W)


Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V







ø95

QK -013020(PL-A03(PC) 20W)




Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V





ø89

QK -023007(PL-B01(PC) 7W)




Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V








76 X 76

QK -023012(PL-B01(PC) 12W)




Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V




96 X 96

QK -023020(PL-B01(PC) 20W)



Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V













Ø74

QK -033007(PL-LJD-ZC-Q901 7W 1304)








Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V





Ø75

QK -043012(PL-LJD-ZC-S3722 12W 1507)

Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V













ø95

QK -043020(PL-LJD-ZC-S3723 20W 1512)








Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V



ø111

QK -043030(PL-LJD-ZC-S3724 30W 1816)


Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V



04

SYSTEM
LIGHT









Ø100

QK -010015 (PL-LJD-ZC-L3601_15W_1512원형)

Power	Light output	Ambient Temp	Output voltage
LED 15W	1425lm	-20c° +40c°	36V




Stretchable & Zoom Instruction






96×96

QK -020015 (PL-LJD-ZC-L3601_15W_1512사각)

Power	Light output	Ambient Temp	Output voltage
LED 15W	1425lm	-20c° +40c°	36V



Stretchable & Zoom Instruction










193×96

QK -020015.02 (PL-LJD-ZC-L3601_15WX2_1512사각)

Power	Light output	Ambient Temp	Output voltage
LED 15W X 2	1425lm	-20c° +40c°	36V




Stretchable & Zoom Instruction








263×96

QK -020015.03 (PL-LJD-ZC-L3601_15WX3_1512사각)

Power	Light output	Ambient Temp	Output voltage
LED 15W X 3	1425lm	-20c° +40c°	36V




Stretchable & Zoom Instruction











ø96




QK -030012 (PL-SH-MTSPT01)

Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V











287 x 98



QK -030012.03 (PL-SH-MTSPT03)


Power	Light output	Ambient Temp	Output voltage
LED 12W x 3	1140lm x 3	-20c° +40c°	36V













ø81

QK -040007 (PL-LJD-ZC-S3801_7W_1304)




Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V









ø100

QK -040015 (PL-SH-HTNR01)




Power	Light output	Ambient Temp	Output voltage
LED 15W	1425lm	-20c° +40c°	36V








Ø123

QK -040030 (PL-LJD-ZC-S3804_30W_1816원형)




Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V











82 x 82




QK -050007 (PL-LJD-ZC-S3801_7W_1304사각)

Power	Light output	Ambient Temp	Output voltage
LED 7W	655lm	-20c° +40c°	36V









152 x 82




QK -050007.02 (PL-LJD-ZC-S3801_7Wx2_1304사각)

Power	Light output	Ambient Temp	Output voltage
LED 7W X 2	655lm	-20c° +40c°	36V











230 x 125




QK -050030.02 (PL-LJD-ZC-S3804_30Wx2_1816원형)

Power	Light output	Ambient Temp	Output voltage
LED 30W X 2	2850lm	-20c° +40c°	36V





202×100










226 × 124





QK -063007.02 (PL-SH-MTS02)

Power	Light output	Ambient Temp	Output voltage
LED 7W X 2	655lm	-20c° +40c°	36V



287×100










311 × 124




QK -063007.03 (PL-SH-MTS03)

Power	Light output	Ambient Temp	Output voltage
LED 7W X 3	655lm	-20c° +40c°	36V





227 x 122










251 x 146




QK -063015.02 (PL-SH-MT02)

Power	Light output	Ambient Temp	Output voltage
LED 15W X 2	1425lm	-20c° +40c°	36V



327 x 122









351 x 146





QK -063015.03 (PL-SH-MT03)

Power	Light output	Ambient Temp	Output voltage
LED 15W X 3	1425lm	-20c° +40c°	36V








140 x 140





QK -073030 (PL-PMT030001-J)

Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V







260 x 140



QK -073030.02 (PL-PMT030002-J)

Power	Light output	Ambient Temp	Output voltage
LED 30W X 2	2850lm	-20c° +40c°	36V











380 x 140

QK -073030.03 (PL-PMT030003-J)

Power	Light output	Ambient Temp	Output voltage
LED 30W X 3	2850lm	-20c° +40c°	36V











160x160

QK -083030 (PL-QK-M01-BK)




185x185

Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V



320x160







QK -083030.02 (PL-QK-M02-BK)



157

346x185

Power	Light output	Ambient Temp	Output voltage
LED 30W X 2	2850lm	-20c° +40c°	36V



05



CEILING
MOUNTE LIGHT







QK-010010 (PL-QK-CIRB001)

Power	Light output	Ambient Temp	Output voltage
LED 10W	950lm	-20c° +40c°	36V












QK -023012 (PL-SH-DRQ01)








Power	Light output	Ambient Temp	Output voltage
LED 12W	1140lm	-20c° +40c°	36V




QK -023012.02 (PL-SH-DRQ02)











Power	Light output	Ambient Temp	Output voltage
LED 12W X 2	1140lm	-20c° +40c°	36V












QK -035010 (PL-QK-CIRWOO1)


Power	Light output	Ambient Temp	Output voltage
LED 10W	950lm	-20c° +40c°	36V



QK -035015 (PL-QK-CIRWOO2)









Power	Light output	Ambient Temp	Output voltage
LED 15W	1425lm	-20c° +40c°	36V












QK-035020 (PL-QK-CIRWOO3)



Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V



QK-035030 (PL-QK-CIRWOO4)








Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V












QK -045010 (PL-QK-RECW001)


Power	Light output	Ambient Temp	Output voltage
LED 10W	950lm	-20c° +40c°	36V




QK -045015 (PL-QK-RECW002)

Power	Light output	Ambient Temp	Output voltage
LED 15W	1425lm	-20c° +40c°	36V













QK -045020 (PL-QK-RECW003)









Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V




QK -045030 (PL-QK-RECW004)




Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V










QK -055030 (PL-LJD-LJ-X04)






Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V





QK -055060 (PL-LJD-LJ-X05)









Power	Light output	Ambient Temp	Output voltage
LED 60W	5700lm	-20c° +40c°	36V











QK -060016 (PL-SH-RSQ08-BK)


Power	Light output	Ambient Temp	Output voltage
LED 16W	1520lm	-20c° +40c°	36V




QK -060018 (PL-SH-RSQ09-BK)

Power	Light output	Ambient Temp	Output voltage
LED 18W	1710lm	-20c° +40c°	36V






QK -060024 (PL-SH-RSQ12-BK)




Power	Light output	Ambient Temp	Output voltage
LED 24W	2280lm	-20c° +40c°	36V



06

TRACK LIGHT













QK-010010 (PL-SH-4PSPR001)

Power	Light output	Ambient Temp	Output voltage
LED 10W	950lm	-20c° +40c°	36V

167




ø49 X 155










QK-010030 (PL-SH-4PSPR007)


Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V

207



ø69 X 153






QK-020030 (PL-QK-4PSPR001)









Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V

◀ 84 ▶

56



◀ ø90 X 194 ▶




QK-033010 (PL-SH-4PSPR003)








Power	Light output	Ambient Temp	Output voltage
LED 10W	950lm	-20c° +40c°	36V

◀ 167 ▶

65



◀ ø59 X 150 ▶











QK-033020 (PL-SH-4PSPR004)

Power	Light output	Ambient Temp	Output voltage
LED 20W	1900lm	-20c° +40c°	36V

◀ 207 ▶




◀ ø75 X 164 ▶







QK-033030 (PL-SH-4PSPR005)

Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V

◀ 207 ▶






◀ ø87 X 188 ▶







QK-053030 (PL-QK-2PSPR001)

Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V



QK-073030 (PL-SH-4PSPR002)








Power	Light output	Ambient Temp	Output voltage
LED 30W	2850lm	-20c° +40c°	36V













QK-080006 (PL-QK-4PSR3)

Power	Light output	Ambient Temp	Output voltage
LED 6W	570lm	-20c° +40c°	36V



MTU-080008 (PL-QK-4PSR4)








Power	Light output	Ambient Temp	Output voltage
LED 8W	760lm	-20c° +40c°	36V





QK-080016 (PL-QK-4PSR8)

Power	Light output	Ambient Temp	Output voltage
LED 16W	1520lm	-20c° +40c°	36V



QK-080018 (PL-QK-4PSR9)

Power	Light output	Ambient Temp	Output voltage
LED 18W	1710lm	-20c° +40c°	36V

