

D-SIGN
LIGHT

GUANGDONG QIKEELECTRONICS CO., LTD

广东齐克电子有限公司

QIKE LED Wall Light

Manufacturer Since 2004

D-Sign Light Co., Ltd.

Address: 353/101 moo 12, Pratumnak soi 5,
Nongprue, Banglamung, Pattaya, 20150 Chonburi

Website: www.dsignlight.com

Contact: Ralf Skoropa

Email: ralf@skoropa.com

Mobile: +66 868 43 8511



Company Profile

GUANGDONG QIKE ELECTRONICS CO., LTD is a professional high-tech enterprise specialized in the LED lighting products. Founded in 2004, we have developed a set of strict management system under the standards of KS Q ISO 9001:2015. Thinking highly of LED lighting products research and development, production, sales and service, we are always committed to promote a win-win business cooperation with customers.

- **Experienced R&D and production team**

Covers 30,000m² factory, the workshop staff of more than 200 and over 10 professional engineers in China.

- **Strong manufacturing capacity**


Owens advanced automated production machines, such as SMT machines, EMC and surge testing machines, aging testing, IES and integrating sphere etc.

- **Top brand authorization in the world**

Strategic partner with Philips lumileds, US bridgelux and Korea Seoul.

Main markets, such as South Korea, North America, Europe and Southeast Asia.

We start with cooperation, be loyal to service.



Company Philosophy


LIKE WATER, LIKE LIGHT, LIKE SUN!
Benefit everything, shine forever.

Vision: Be Top Brand of LED Commercial Lighting in the world.

Core Values: Be based on honesty, quality is life.
Innovation seeks development and win-win creates the brilliance.


Quality Policy: High standards, strict requirements,
attention to details. Professional, dedicated, serve attentively!

Sincerely welcome to visit Guangdong QIKE in China.



Strategic Partners





OUTDOOR WALL LAMPS

The outdoor wall lamp has good waterproof performance, mostly closed structure, which prevents the erosion of outdoor rain on the lamp and can extend the service life of the lamp.



QK-BD-01




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
2*3W	Φ100*100*100

IP65

IK08



QK-BD-02





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum die casting
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
2*3W	Φ65*260
2*6W	Φ90*260
2*9W	Φ108*300
2*12W	Φ145*450

IP54

IK08



QK-BD-03




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum die casting
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
3W	Φ65*200
6W	Φ90*200
9W/12W	Φ108*200

IP54

IK08



QK-BD-04




Parameter:


- Input voltage: AC85-265V
- CCT: 3000K
- Material: Die Casting aluminum housing
- LED: SMD
- Color: ☐ White ☒ Black

IP54 IK08

Power	Size(mm)
5W	80*100
5W	200*100
10W	300*100



QK-BD-05




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White ☒ Black

IP54 IK08

Power	Size(mm)
10W	300*80
15W	600*80
24W	900*80
26W	1200*80
32W	1500*80
38W	1800*80
44W	2000*80
48W	2400*80



QK-BD-06





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Die-cast aluminum
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	L115*60
10W	L165*80

IP54 IK08



QK-BD-07




Parameter:


- Input voltage: AC85-265V
- CCT: 3000K/4000K
- Material: Die-cast aluminum
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
10W	137*127

IP54 IK08



QK-BD-08




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K/4000K
- Material: Aluminum lamp body
- LED: COB

IP54

IK08

Power	Size(mm)
10W	130*95



QK-BD-09





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

IP54

IK08

Power	Size(mm)
10W	32*45*185*225



QK-BD-10





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K/4000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
8W	155*40

IP54

IK08



QK-BD-11




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K/4000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
8W	140*40

IP54

IK08



QK-BD-12





Parameter:


- Input voltage: AC85-265V
- CCT: 3000K/4000K
- Material: Acrylic+wrought iron
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
10W	150*160

IP54 IK08



QK-BD-13




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K/4000K
- Material: Aluminum lamp body
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	160*160*70

IP54 IK08



QK-BD-14





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K/4000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	170*200*90

IP54 IK08



QK-BD-15




Parameter:


- Input voltage: AC85-265V
- CCT: 3000K/4000K
- Material: Aluminum Die Casting
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
2*5W	Φ100*200

IP54 IK08



QK-BD-16




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	100*45*220*105

IP54 IK08



QK-BD-17




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
10W	280*95*100

IP54 IK08



QK-BD-18





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Die-cast aluminum
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
2*3W	L115*100
4*3W	L115*100

IP54 IK08



QK-BD-19





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Die-cast aluminum
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
4*3W	L245*125*65

IP54 IK08



QK-BD-20




Parameter:


- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
10W	90*120*80

IP54 IK08



QK-BD-21





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
8W	175*90

IP54 IK08



QK-BD-22




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Iron
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	170*170

IP54

IK08



QK-BD-23




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
10W	238*88*68

IP54

IK08



QK-BD-24





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
10W	160*200

IP54 IK08



QK-BD-25





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
2*5W	140*170*90

IP54 IK08



QK-BD-26




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: SMD

Power	Size(mm)
8+3W	180*180

IP54

IK08



QK-BD-27




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Die-cast aluminum
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
1+1 2W	80*75*35
2+2 4W	120*85*35
3+3 6W	175*80*40
4+4 8W	220*80*45

IP54

IK08



QK-BD-28





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	68*80*80
2*5	68*80*150

IP54 IK08



QK-BD-29





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Die-cast aluminum
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	68*80*80
2*5W	68*80*150

IP54 IK08






INTERIOR WALL LAMPS

Wall Light generally installed in public buildings, such as stairs, vestibule, bathroom, kitchen, bedroom and other parts.

There are a variety of wattage options.



QK-XBD-01





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	25*12*12*18*18

IP20 IK08



QK-XBD-02




Parameter:


- Input voltage: AC85-265V
- CCT: 4000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
10W	130*130
20W	390*130

IP20 IK08



QK-XBD-03




Parameter:

- Input voltage: AC85-220V
- CCT: 3000K
- Material: Aluminum lamp body
- LED: SMD
- Color: ☐ White ☒ Black


Power	Size(mm)
10W	300*90

IP20

IK08



QK-XBD-04




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD

Power	Size(mm)
8W	200*100

IP20

IK08



QK-XBD-05





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White

Power	Size(mm)
8W	300*350*40

IP20 IK08



QK-XBD-06





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White

Power	Size(mm)
8W	300*350*40

IP20 IK08



QK-XBD-07





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
20W	300*70

IP20 IK08



QK-XBD-08





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
8W	280*50

IP20 IK08



QK-XBD-09





Parameter:


- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: COB
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	270*65

IP20 IK08



QK-XBD-10




Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White ☒ Black ☐ Golden

Power	Size(mm)
3W	150
5W	200
8W	250
10W	300

IP20 IK08



QK-XBD-11





Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
5W	120*250*50

IP20

IK08



QK-XBD-12



Parameter:

- Input voltage: AC85-265V
- CCT: 3000K
- Material: Wrought iron + acrylic
- LED: SMD
- Color: ☐ White ☒ Black

Power	Size(mm)
8W	280*100*70

IP20

IK08

